U. S. Railroad Retirement Board



Platform Domain Architecture

Platform Domain Architecture Table of Contents

PLATFORM DOMAIN DEFINITION	4
DOMAIN TECHNOLOGY CATEGORIES	4
PLATFORM DOMAIN PRINCIPLES SUMMARY	4
DOMAIN RELEVANT TRENDS	5
Internet Related	5
BACKGROUND OF PLATFORM AND RELATED TECHNOLOGIES AT THE RRB	6
DETAILED DOMAIN PRINCIPLES	6
Domain Principle 1	6
<u>Use Industry Standards</u>	6
Domain Principle 2	7
Consolidate Hardware and Software	
DOMAIN PRINCIPLE 3	
Use a centralized, up-to-date asset management system	
DOMAIN PRINCIPLE 4	
Establish and adhere to reuse standards	
DOMAIN PRINCIPLE 5	
Promote the procurement of reusable assets	
<u>DOMAIN PRINCIPLE 6</u>	
Domain Principle 7	
Establish, formalize, and maintain contacts with business partners and customers.	
Domain Principle 8	
Identify and periodically project the potential changes in requirements based on historical treations.	
actual and future business needs	
DOMAIN PRINCIPLE 9.	
Ensure adherence to the enterprise architecture principles through design, documentation, an	d
project reviews	8
Domain Principle 10	9
Identify, follow, and evaluate on an ongoing basis new platform technologies and platform-	
impacting technologies	
Domain Principle 11	
Reduce total cost of platform assets	9
DOMAIN TECHNOLOGY CATEGORIES, STANDARDS AND PRODUCTS	10
OPERATING SYSTEMS	
	11

ENTERPRISE ST	ORAGE	12
	ARDWARE	
· · · · · · · · · · · · · · · · · · ·	DFTWARE	
DESKTOP HARD	WARE	16
DESKTOP SOFT	<u>VARE</u>	17
	VARE	
SERVER SOFTW	<u>ARE</u>	19
PLATFORM PR	EFERRED DOMAIN DESIGN PATTERNS	20
PATTERN 1		20
	ultiple storage architectures toward a single repository of mainframe/LAN s	
		20
Combine sep	arate and disparate systems and services into a unified enterprise-wide	
<u>infrastructur</u>	<u>e</u>	22
Transition to	ward increased remote and mobile access to resources	24
DOMAIN PART	ICIPANTS	25
APPENDIX 1:	DOMAIN GLOSSARY	26
APPENDIX 2:	CONCEPTUAL TO DOMAIN PRINCIPLE MATRIX	27

Platform Domain Definition

The Platform domain defines technologies, equipment, standards, operating guidelines and policies for laptops, desktops, mainframe, peripheral, servers, software, services in order to meet the technical and business requirements of the user community.

Domain Technology Categories

- Operating Systems
- Enterprise Storage
- Mainframe Hardware
- Mainframe Software
- Desktop Hardware

- Desktop Software
- Server Hardware
- Server Software

Platform Domain Principles Summary

- 1. Use industry-standards
- 2. Consolidate hardware and software
- 3. Use a centralized, up-to-date asset management system
- 4. Establish and adhere to reuse standards
- 5. Promote the procurement of reusable assets
- 6. Maintain the evolving capability of transacting with other external business partners and customers
- 7. Establish, formalize, and maintain contacts with business partners and customers
- 8. Identify and periodically project the potential changes in requirements based on historical trends, actual and future business needs
- 9. Ensure adherence to the enterprise architecture principles through design, documentation, and project reviews
- 10. Identify, follow, and evaluate on an ongoing basis new platform technologies and platform-impacting technologies
- 11. Reduce total cost of platform assets

Domain Relevant Trends

- Speed is increasing
- Mobility is increasing
- Decentralization of workforce
- Increase of business partners and customers
- Increased ease of use
- Increased availability / variety
- Open standards
- Interoperability
- Decreasing prices / Moore's Law

Internet Related

- Increased volume of transactions
- Increased availability 24/7
- Reduction in process cycle time
- · Reduction in the number of hand-off's
- Dehumanization

Background of Platform and Related Technologies at the RRB

The agency began operating in a mainframe computer environment during the 1960s utilizing standard IBM operating systems. Application systems were written in various programming languages to execute in a batch environment on various pieces of equipment. All computer systems and related devices were housed in a data center with no technological capability of online or remote access to data or systems. The mainframe hardware and software was utilized and controlled by one organization in the agency.

Over the years the technologies incorporated at the board have included capabilities of other platforms such as PCs, desktop software, LAN/WAN, remote access, mobile access and facilities that have led to a disbursement of information technology capabilities throughout the agency. In 1986 desktop PCs were introduced and by 1989 they were creating batch jobs for mainframe processing. In 1993 LAN technology was introduced leading to a Virtual LAN in 1997. By 1999, all district office connectivity was converted to a frame relay system.

Hardware and software now exists, to some degree or other, on nearly every work station in the agency. Additionally, advanced communications technology has been incorporated to allow access from the field service (both field offices and itinerant service), business partners, and customers.

While the processing of data on a large scale and the check-writing operations of the agency are still performed on the mainframe system, much of the claims adjudication, administration, and communications/email activity is done on the other platforms. All bureaus and offices are now equipped to perform many of their functions in an automated fashion that leads to a more efficient operation. These advancements have allowed the board to greatly improve its services to our business partners and customers.

To advance further the board has recently undertaken new initiatives such as mobile access and enhanced use of the Internet. These are areas that will lead to improved customer service, lower costs, and further the concept of one-and-done for our beneficiaries.

Detailed Domain Principles

Domain Principle 1

Use Industry Standards

Rationale:

Proven, stable, reliable, easily available

Allows effective communication with outside entities

Portable across platforms

Allow interoperability

Enhance adaptability

Increase longevity

Adheres to open standards

Implications:

Increased ease and availability of support

Increased productivity

Avoid bleeding edge and allow leading edge

Reduced product market

Reduced administration time (product interfaces already exist, do not need to be created in-house)

Improved information exchange (business partner data exchange simplified)

Domain Principle 2

Consolidate Hardware and Software

Rationale:

Reduce cost of operation

Optimize data transfer (reduce bottlenecks)

Increase efficiency of processes

Implications:

Achieve cost efficiency (need for fewer components)

Reduced downtime/frequency of outages

Increased impact of outages

Domain Principle 3

Use a centralized, up-to-date asset management system

Rationale:

Identify current assets

Identify future needs

Implications:

Better management of assets

Reduce unnecessary acquisitions

Modify current asset management system for future needs

Consolidate the current asset management systems into a centralized system

Domain Principle 4

Establish and adhere to reuse standards

Rationale:

Required by law

Set limits of reuse to eliminate risk of use beyond life expectancy

Implications:

Reduce risk of data loss

Comply with the law

Reduce maintenance cost of outdated assets

Domain Principle 5

Promote the procurement of reusable assets

Rationale:

Prevent waste

Avoid unnecessary expenditures

Implications:

Improved decision-making process

Redistribution of funds

Reduce procurements

Domain Principle 6

Maintain the evolving capability of transacting business with partners and customers Rationale:

Sustain and improve business

Satisfy customer expectations

Implications:

Provide improved service to business partners and customers

Better relationships with business partners and customers

Stay current with business partners' and customers' technology

Domain Principle 7

Establish, formalize, and maintain contacts with business partners and customers Rationale:

Stay current with business partners' and customers' needs

Implications:

Purchase or maintain technology that may be used solely for communication with business partners and customers

Include business partners and customers' requirements in the planning and implementation process

Domain Principle 8

Identify and periodically project the potential changes in requirements based on historical trends, actual and future business needs

Rationale:

Accommodate changing business needs

Improve performance

Implications:

Improved budget forecasting

Support changing business needs faster

Better response time

Faster throughput

Additional staff required for analysis

Requires better forecasting of business needs

Mandate the procurement of extensible and scalable equipment

Domain Principle 9

Ensure adherence to the enterprise architecture principles through design, documentation, and project reviews

Rationale:

Compliance with agency guidelines

Consistency of projects across the organization

Implications:

Our domain principles must be included in RFP's

Approval of projects is subject to compliance

Formal review process must be established

Domain Principle 10

Identify, follow, and evaluate on an ongoing basis new platform technologies and platform-impacting technologies

Rationale:

Stay in business

Mitigate business and technical risks

Provide better customer service

Provide new capabilities and efficiencies

Implications:

Increased costs

Increased risk (performance level degradation)

Increased satisfaction level

Increased scalability and extensibility

Domain Principle 11

Reduce total cost of platform assets

Rationale:

Directed by OMB

Reduce spending

Optimize existing assets

Implications:

Possible increase in initial cost

Identify and quantify total cost of ownership

Manage inventory better

Using competition

Volume discount

Requires strategic scheduling of purchases

Consolidation of existing assets

Buy efficient technologies (not cheap)

Replace/substitute existing technologies

Domain Technology Categories, Standards and Products

This section represents a view of the standards and products that are used to implement solutions.

To better illustrate each technology category, the following attributes of that category are documented when pertinent information exists:

Standards – This table represents standards that have been adopted for central support across the enterprise. Support for a standard may be direct, or indirect by virtue of a supported product that relies heavily on a particular standard. Standards refer to those sanctioned by national or international standards bodies, or industry groups that dictate how products are developed, deployed or interoperate with each other.

Other Standards in Use – This table lists standards that have been adopted by specific areas of the company either directly or by virtue of using a particular product.

Products – This table list those products that:

- 1. Are centrally supported or used widely across the enterprise
- 2. Are being considered for central support
- 3. Have been centrally supported in the past

Other Installed Products – This table lists those products that:

- Are being used by a limited (usually one) number of areas
- Are not centrally supported

Product Lifecycle

Use the following key when referring to the products and standard timelines

Code	Term	Meaning
ID	Identified	The company is aware of the item. It has not been formally evaluated. It is
		not approved for current use.
RD	Research	Business units may use RD components only as selected participants in a
	and	company sanctioned research effort. These items may not be used in any
	Developmen	other context and may not be used in production.
	t	
Р	Pilot	Approved for production, but widespread use not yet encouraged.
I	Invest	Appropriate use encouraged.
М	Maintain	New implementations are not encouraged. Existing systems may continue to
		rely upon these components and extend existing implementations.
D	Disinvest	In process of being phased out.
0	Obsolete	Vendor or industry support is gone and use in not recommended.
R	Rejected	Investigated and found to not meet the organization's needs.

THE FOLLOWING TABLES ARE POPULATED WITH PRODUCTS AND STANDARDS, INDICATING LIFECYCLE CATEGORIZATION OVER TIME.

Operating Systems

Definition: Software dedicated to a specific hardware platform. It manages resources,

devices, and other services

Standards:

	2001					20	02			20	03		2004			
	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
OS/390	I	I	Ι	ı	Ι	Ι	Ι	Ι	ı	ı	I	0				
Z/OS	ID	ID	ID	ID	ID	ID	ID	ID	1	ı	ı	I	ı	Ι	ı	Ι
IEEE	Ι	_	Ι	-	_	Ι	_	_	_	1	-	_	_	Ι	Ι	_

Other Standards in Use:

Standard	Usage Scope
Windows-based OS for desktops	Universal

		20	01			20	02			20	03)	2004			
	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
OS/390 v 2.x	Ι	Ι	_	-	Ι	-	-	-	-	ı	-	0				
Windows 2000 Professional	ı	Ι	_	-	_	_	_	-	Μ	М	Μ	М	Μ	Μ	Μ	М
Windows 95	М	М	М	М	Δ	Δ	Δ	D	Д	D	Δ	D	Δ	Δ	Δ	D
Windows 98	М	М	М	М	М	М	М	М	D	D	D	D	D	D	D	D
Unix System Services	I	Ι	Ι	Ι	Ι	I	I	Ι	Ι	ı	I	Ι	Ι	I	I	ı
Z/OS v 1.x	ID	ID	ID	ID	D	ID	ID	ID	-	ı	-	-	_	-	-	Ι
NT v 4.x Workstation	М	М	М	М	D	D	D	D	0							
NetWare v 4.x	М	М	М	D	0											
NT Server v 4.x	М	М	М	М	Μ	Μ	Μ	М	Д	Δ	0					
Windows 2000 Server	R D	I	I	_	I	I	I	_	-	I	I	_				
Windows XP Server			ID	ID	ID	I	I	Ι	Ι	I	ı	Ι				
Windows XP			ID	ID	ID	I	ı	ı	Ι	ı	Ī	Ī				
Windows 2000 Advanced Server	R D	R D	I	-	I	I	I	_	-	I	I	_				

Enterprise Storage

Definition: Storage devices that serve multiple platforms

Standards:

		2001				20	02			20	03	,	2004			
	Q1	1 Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
RAID 5	I -	1	R	_	I	I	I	_	I	Τ	I	Ι	I	Ι	I	Ι
	D	D	D													

Other Standards in Use:

Standard	Usage Scope
None	

		2001				20	02			20	03		2004			
		Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Enterprise Network Storage	R D	R D	R D	I	I	I	I	I	-	I	I	I	I	I	I	I

Mainframe Hardware

Definition:

Physical components and peripheral devices designed to process large-scale transactions in a multi-processing environment in both batch and on-line modes handling many enterprise-wide users.

Standards:

	2001					20	02			20	03	,	2004			
	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
S/390 Architecture	_	ı	-	ı	_	-	-	Ι	Ι	Ι	_	0				
Z/Architecture	ID	ID	ID	ID	ID	ID	ID	ID	Ι	Ι	-	Π	1	1	1	1
RAID 5	_	ı	-	ı	_	-	-	Ι	Ι	Ι	_	Ι	-	Ι	-	1
IEEE	_	I	_	I	_	_	_	-	-		_	Ι	-	1	_	1

Other Standards in Use:

Standard	Usage Scope
None	

		20	01			20	02			20	03	,	2004			
	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
IBM Multiprise 2003 2C5	Π	Ι	_	_	Ι	-	-	_	-	_	-	0				
IBM OSA/2 Fast Ethernet	I	Ι	_	1	_	_	I	-	-	-	_	0				
Hitachi 7700 Disk Array	М	М	М	D												
IBM Virtual Tape Server	1	I	I	1	I	I	1	1	ı	1	I	ı	I	ı	ı	ı
IBM 3480 Cartridge Drives	Μ	М	М	Μ	М	М	М	М	Μ	М	М	М	М	М	М	М
IBM 3490 Cartridge Drives	М	М	М	М	М	Μ	М	М	Μ	М	Μ	М	Μ	М	М	М
IBM 3420 Tape Drives	Μ	М	М	М	М	М	М	Μ	М	Μ	М	M	М	М	М	М
IBM 4248 High-Speed Printer	М	М	М	М	Μ	Μ	Μ	М	М	М	Μ	М	М	М	М	М
Data Communication Controllers	М	М	М	М	Μ	Μ	М	М	Μ	М	Μ	М	М	М	М	М
Terminals	М	М	М	М	М	М	М	Μ	М	Μ	М	M	М	М	М	М
XEROX 4135 Laser Printer	М	М	М	М	М	М	М	М	М	M	М	М	М	М	М	М
XEROX 4235 Laser Printer	М	М	М	М	Μ	Μ	М	М	Μ	М	Μ	М	М	М	М	М
IBM 3745 Front-End Processor	М	М	М	М	Μ	Μ	М	М	М	М	М	М	М	М	M	М
Remote Line Printers	М	М	М	M	М	Μ	M	М	М	М	Μ	М	Μ	М	М	М

Mainframe Software

Definition: Software designed to run on mainframe hardware.

Standards:

		20	01			20	02			20	03	}		20	04	
	Q1	Q2	Q3	Q4												
IBM OS/390	Ι	Τ	I	_	_	Ι	ı	Ι	_	ı	Ι	0				
IBM Z/OS	ID	-	ı	Ι	1	1	Π	Π	Ι							
POSIX	I	Ī	I	Ī	Ī	Ī	Ī	Ī	Ī	Ī	Ī	Ī	-	Ī		Ī

Other Standards in Use:

Standard	Usage Scope
None	

	2001 2002 2003											20	04			
	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
IBM CICS Transaction Server v1.x	Ι	_	Ι	Ι	Ι	Ι	Ι	_	_	Ι	-	-	Ι	Ι	-	
IBM COBOL for OS/390 v2.x	I	1	I	ı	I	Ι	I	-	I	Ι	1	0				
IBM DFHSM v2.x	1	Ι	1	ı	1	1	ı	1	_	1	1	0				
IBM DFSMS v2.x	Ι	-	1	ı	1	Ι	Ι	-	_	Ι	1	0				
IBM High-Level Assembler v2.x	Η	ı	ı	ı	ı	Ι	Ι	Ι	Ι	Ι	ı	0				
IBM ISPF v2.x	I	-	1	ı	-	Ι	ı	-	_	Ι	_	0				
IBM Language Environment v2.x	Ι	-	1	ı	-	Ι	Ι	-	_	Ι	_	0				
IBM JES2 v2.x	Ι	-		ı	-	Ι	ı	I	_	Ι	_	0				
IBM Netview v2.x	1	О	D	0												
IBM Tivoli Netview v1.x	R D	I	Ι	I	I	I	I	_	I	I	I	0				
IBM OSA/SF v2.x	Ι	-	1	Ι	Ι	Ι	Π	1	_	Ι	1	0				
IBM SDSF v2.x	Ι	Ι	Ι	Ι	Ι	Τ	Τ	_	-	Ι	I	0				
IBM TCP/IP v2.x	Ι	_	Ι	Ι	Ι	Ι	Ι	_	_	Ι	-	0				
IBM TSM/DRM Server v4.x	Ι	_	Ι	Ι	Ι	Ι	Ι	_	_	Ι	_		_		ı	Ι
IBM Web Server v5.x	Ī	Ι	I	I	I	Ι	Ι	I	Ι	Ι	Ī	Ī	Ī	Ī	ĺ	Ι
IBM WebSphere Application Server v3.5		R D	R D	I	I	I	I	I	I	I	I	I	I	I	I	ı
IBM TPNS v3.x	Ι	I	I	I	I	Ι	I	I	Ι	Ι		I	ı	I	I	I

Mainframe Software Products continued:

AGS Wings 1.x AGS Validate 2.x			20	01			20	02	,		20	03			20	04	
ASG Validate 2.x AMS Core E 1.x AMS Core E 5.S 1.x AMS FS 5.S AMS FS 5.S AMS FS 5.S AMS PAR 5.x AMS Core E SS 1.x AMS FS 5.X AMS FS 5.X AMS PAR 5.X AM	AGS Wings 1 x		1	ī	ī			1	_	_	_ <u>_</u> _	ī	_			Ť	П
AMS Core E 1.x AMS Core ES ES 1.x AMS FFS 5.x IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		_	Ė	i			i	i		_	i	i		Ŀ.	÷	Ħ	i
AMS Core ES ES 1.x AMS FFS 5.x I I I I I I I I I I I I I I I I I I I		H	i	H	-	<u> </u>	-	-	-	<u> </u>	•	i	<u> </u>	Ħ	÷	Ħ	Ħ
AMS FFS 5.x AMS PAR 5.x AMS PAR 5.x AMS PAR 5.x IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		Ħ	Ė	i	Ė	÷		÷	1	Ė	÷	÷		Ħ	÷	Ħ	Ħ
AMS PAR 5.x BMC CMF Monitor/Online 5.x I I I I I I I I I I I I I I I I I I I		Ħ	Ė	i	i	Ŀ-		i	_	Ħ	i	i	H	H	·	Ħ	Ħ
BMC CMF Monitor/Online 5.x		Η̈́	i	÷	H	H	H	÷	-	H	÷	÷	H-	÷	·	÷	i
BMC Control-M 5.x Computer Associates CA-1 5.x I I I I I I I I I I I I I I I I I I I			Ė	i	i	Ħ	i	i		Ħ	i	i		•	_	Ħ	i
Computer Associates CA-1 5.x CA TMG FRAMEWORK 2.x LA L		-	i	i	Ė	_		-	_	_	÷	÷	<u> </u>	-		Ė	H
CA TMG FRAMEWORK 2.x CA-ACP2 6.x CA-CAPC 6.x CA-EARL 6.x CA-PANISPF 14.x I I I I I I I I I I I I I I I I I I I		H	i	÷	H	_		÷		<u> </u>	÷	÷		÷	·	÷	H
CA-ACF2 6.x CA-EARL 6.x CA-EARL 6.x CA-Easytrieve+ 6.x CA-Easytrieve+ 6.x CA-Endewor 3.x IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	•	٠.	i	i	÷	<u> </u>	-	÷	-	<u> </u>	-	÷	-	H	÷	÷	H
CA-EARL 6.x CA-Easytrieve+ 6.x CA-Easytrieve+ 6.x CA-Endevor 3.x CA-Endevor 3.x CA-IDMS/DC 14.x CA-IDMS/DC 14.x CA-IDMS/DB 14.x CA-IDMS/DB 14.x CA-IDMS/DB 14.x CA-IDMS/DB 14.x CA-IDMS TOOLS 14.x CA-IDMS/DB 14.x CA-JARS 7.x IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		H:	i	<u> </u>	÷	÷	_	÷	H÷.	÷	÷	+	H-	÷	-	÷	H
CA-Easytrieve+ 6.x CA-Endevor 3.x CA-Enfelovor 3.x CA-IDMS/DC 14.x CA-IDMS/DC 14.x CA-IDMS/DB 14.x CA-IDMS TOOLS 14.x CA-PAN/ISPF 14.x CA-PAN/ISPF 14.x CA-PAN/ISPF 14.x CA-PAN/ISPF 14.x CA-PAN/ISP 14.x I I I I I I I I I I I I I I I I I I I		_	<u> </u>	+	<u> </u>	H		+	-	H	+	<u>'</u>	_	Ŀ.		÷	H
CA-Endevor 3.x CA-DMS/DC 14.x CA-IDMS/DC 14.x CA-IDMS/DB 14.x CA-IDMS/DB 14.x CA-IDMS TOOLS 14.x CA-JARS 7.x CA-OPS/MVS II 4.x CA-OPS/MVS II 4.x CA-OPS/MVS II 4.x CA-PAN/ISPF 14.x CA-PAN/ISPF 14.x CA-PAN/ISPF 14.x CA-PAN/ISPF 14.x CA-PAN/ISPF 14.x CA-PAN/ISP 14.x LI I I I I I I I I I I I I I I I I I I		H	<u> </u>		+	H		÷	_	_	-	+	<u> </u>	÷		H	H
CA-ENF 1.x CA-IDMS/DC 14.x CA-IDMS/DB 14.x CA-IDMS TOOLS 14.x LA-IDMS TOOLS 14.x		H	<u> </u>		<u> </u>	·		<u> </u>	-	Ŀ.		<u> </u>		Ŀ.		H	H
CA-IDMS/DC 14.x CA-IDMS/DB 14.x CA-IDMS TOOLS 14.x I I I I I I I I I I I I I I I I I I I			-	 -	H-	_			-	<u> </u>		-		_	_	÷	H
CA-IDMS/DB 14.x CA-IDMS TOOLS 14.x CA-JARS 7.x IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		H-	1		H	-	-	-	_	_	<u> </u>		_	H		H	1
CA-IDMS TOOLS 14.x CA-JARS 7.x CA-OPS/MVS II 4.x CA-OPS/MVS II 4.x CA-PAN/ISPF 14.x CA-PAN/ISPF 14.x CA-PAN/ISP 14.x CA-PAN/ISO 14.x IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		-			Ļ.	÷	-	-		-	-	<u> </u>		H	_	H	H
CA-JARS 7.x CA-OPS/MVS II 4.x CA-PAN/ISPF 14.x CA-PAN/ISPF 14.x CA-PAN/ISP 14.x II		<u> </u>	<u> </u>	<u> </u>	<u> </u>	L¦.	-	Ľ	-	H	Ľ	!	<u> </u>	Ľ.	÷	<u> </u>	H
CA-OPS/MVS II 4.x CA-PAN/ISPF 14.x I I I I I I I I I I I I I I I I I I I		Ļ.	!	!	L.	L.		<u> </u>	_	L.	<u> </u>	<u> </u>	H-	Ŀ	·	H.	H.
CA-PAN/ISPF 14.x CA-PAN/TSO 14.x CA-PAN/TSO 14.x CA-Panvalet/Batch 14.x CA-Panvalet/Batch 14.x CA-Panvalet/Batch 14.x CA-TPX 5.x Compuware Abend-Aid 9.x Compuware Abend-Aid for IDMS 9.x Compuware Abend-Aid Viewing Facility 9.x I I I I I I I I I I I I I I I I I I I		ı.	l	l				<u> </u>	-	ļ.				Ŀ	·	Ľ.	L!
CA-PAN/TSO 14.x		-	I	ı		_		-	_	_		÷	-		<u> </u>	Ľ.	1
CA- Panvalet/Batch 14.x		_		I				_	-	_	_	_		_	_	Щ	
CA-TPX 5.x			I	I	I	I	-	ı	-	-	-			<u> </u>	ı	Ш	Ш
Compuware Abend-Aid 9.x Compuware Abend-Aid for IDMS 9.x I I I I I I I I I I I I I I I I I I I	CA- Panvalet/Batch 14.x		1	ı	ı	I	ı	Ι	I	Ι	Ι	Ι	1	ı	1		
Compuware Abend-Aid for IDMS 9.x	CA-TPX 5.x	ı	ı	ı	Ι	ı		Ι	-	-	Ι	Ι	ı	ı	Ι	ı	ı
Compuware Abend-Aid Viewing Facility 9.x	Compuware Abend-Aid 9.x	I	I	ı	Ι	ı	Ι	Ι	ı	Ι	Ι	Ι	ı	Ι	ı	1	ı
Compuware Data Solutions 3.x	Compuware Abend-Aid for IDMS 9.x	ı	I	ı	Ι	ı	Ι	Ι	ı	Ι	Ι	Ι	ı	Ι	1	1	ı
Compuware File-Aid 8.x Compuware Shared Services 5.x I I I I I I I I I I I I I I I I I I I	Compuware Abend-Aid Viewing Facility 9.x	1	1	1	Ι	1	Ι	Ι	1	_	Ι	Ι	ı	1	1		1
Compuware Shared Services 5.x	Compuware Data Solutions 3.x	1	1	1	Ι	1	Ι	Ι	ı	Ι	Ι	Ι	1	1	1	1	1
Decision Technology Batch Analyzer 4.x I	Compuware File-Aid 8.x	ı	ı		Ι	I	Ι	-	ı	_	-	1	I	Ι	-	I	1
Decision Technology Online Analyzer 4.x	Compuware Shared Services 5.x	ı	ı	-	-	1	-	_		_	_	-	I	_	_	I	
Document Sciences TextDBMS 3.x	Decision Technology Batch Analyzer 4.x	ı	ı	ı	-	I	-	_	_	Ι	_	-	I	I	1	1	
Group1 Barcode 2.x Group1 Code1+ with Zip+4 2.x I I I I I I I I I I I I I I I I I I I	Decision Technology Online Analyzer 4.x	Ι	I	ı	Ι	I	Ι	Ι	I	Ι	Ι	Τ	Ι	Ι	Ι	Τ	П
Group1 Code1+ with Zip+4 2.x	Document Sciences TextDBMS 3.x	I	I	I	Τ	I	Τ	Ι	Ι	Ι	Ι	Ι	I	Ι	ı	Ι	Π
Group1 Mailstream+ 2.x Innovation FDR/DSF 5.x Innova	Group1 Barcode 2.x	I	I	I	Τ	I	Τ	Ι	Ι	Ι	Ι	Ι	I	Ι	ı	Ι	Π
Innovation FDR/DSF 5.x	Group1 Code1+ with Zip+4 2.x	I	I	I	Τ	I	Τ	Ι	Ι	Ι	Ι	Ι	I	Ι	ı	Ι	Π
LRS VPS + VPS/TCPIP 8.x I I I I I I I I I I I I I I I I I I I	Group1 Mailstream+ 2.x	Ι	Ι	Ι	Ι	Ι	Ι	_	Ι	_	_	Ι	Ι	Τ	Ι	Т	_
LRS VPS PRINT 6.x I I I I I I I I I I I I I I I I I I I	Innovation FDR/DSF 5.x	Ι	Ι	Ι	Ι	Ι	Ι	_	Ι	_	_	Ι	Ι	Τ	Ι	Т	_
LRS VMCF 8.x I I I I I I I I I I I I I I I I I I I	LRS VPS + VPS/TCPIP 8.x	I	I	I	I	ı	I	Ι	ı	ı	Ι	I	I	I	ı	Τ	Π
LRS VMCF 8.x I I I I I I I I I I I I I I I I I I I		ı	ı	ı	Ι	ı	Ι	Ι	Ι	Ι	Ι	ı	I	ı	ı	Τ	ı
LRS DRS + DRS/TCPIP 3.x I I I I I I I I I I I I I I I I I I I		-	I		_	_	_		-		_					· -	Ι
LRS DRS + DRS/TCPIP 3.x I I I I I I I I I I I I I I I I I I I		ı	Ι	Ι	Τ	Ι	Τ	Т	Т	_	Т	Π	Ι	Т	T	Т	ı
NewEra Software SAE 10.x I I I I I I I I I I I I I I I I I I I		_	-		_		_	-		-	_		-	Т	_	Т	Ī
Optima, Inc. Structures 3.x I I I I I I I I I I I I I I I I I I I		٠.	I	٠.	Τ	I		Τ		Т	Τ	Τ	٠.	Т	-	Т	Ī
SAS Institute SAS 8.x I I I I I I I I I I I I I I I I I I I		Τ	Ι	Ι	Τ	ı	Τ	Τ	-	Т	Τ	Π	Ι	Т	Τ	Т	П
SASFSP 8.x I I I I I I I I I I I I I I I I I I I	• •	Τ	Ι	ı	Τ	Ι	Τ	Т	Т	Т	Т	Ι	Ι	Т	Т	Т	Ι
SAS/Connect 8.x I I I I I I I I I I I I I I I I I I I		Ť	Ī	İ	İΤ	İ	-	Ħ	1	Ħ	Ħ	İ	İ	Ť	T	Ť	Ī
Syncsort Inc. Syncsort 3.x I </td <td></td> <td>-</td> <td>Ī</td> <td>Ī</td> <td>Ť</td> <td>İ</td> <td></td> <td>Ť</td> <td></td> <td>Ħ</td> <td>Ť</td> <td>İ</td> <td>-</td> <td>Ė</td> <td></td> <td>Ť</td> <td>Ħ</td>		-	Ī	Ī	Ť	İ		Ť		Ħ	Ť	İ	-	Ė		Ť	Ħ
TSI International KeyMaster 6.x		H-	İ	i	-	<u> </u>		-		_		i	-	Ħ	_	Ė	Ħ
	,		i	i	-	-		-		_	_	Ė	-	Ħ	÷	Η̈́	Ħ
NAVA VIITUALIMACNINE	JAVA Virtual Machine	Ė	i	i	Ħ	Ė	Ħ	Ė	Ė	H	Ė	Ė	i	Ħ	i	Ħ	H
		_	N/I	ŅΛ	ŅΛ	ŅΛ		_	-	ŅΛ	_	ŊΛ	_	ŅΛ		ŅΛ	М

Other Installed Products:

Product Name	Usage Scope
Marble DCD III 2.x	ONE USER

Desktop Hardware

Definition:

Physical components, internal and peripheral devices that comprise a desktop or mobile system.

Standards:

		20	01			20	02			20	03	,		20	04	
	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
<i>I</i> ntel	I	Ι	I	Ι	Ι	I	I	Ι	I	I	I	Ι	I	I	I	Ι

Other Standards in Use:

Standard	Usage Scope
USB	Universal
VRAM 32Mb	Imaging system users only

		20	01			20	02			20	03	,	2004			
	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
CPU <= 200 MHz	М	М	D	D	D	D	D	D	0	0	0	0	0	0	0	0
CPU > 200 MHz	Ι	-	-	_	Ι	_	ı	_								
RAM < 128 MB	Μ	М	D	D	D	D	D	D	0	0	0	0	0	0	0	0
RAM >= 128 MB	_	_	_	-	_	-	ı	Ι								
Storage < 6 GB	М	М	D	D	D	D	D	D	0	0	0	0	0	0	0	0
Storage >= 6GB	Ι	ı	-	_	Ι	_	ı	Ι								
NIC 100 base T	I	ı	ı	1	I	ı	1	1	ı	ı	ı	ı	Ι	I	ı	I
CD-ROM < 12x	Μ	М	D	D	D	D	D	D	0	0	0	0	0	0	0	0
CD-ROM > 12x	I	I	I		Ι	ı	ı	Ι								
VRAM	I	I	I	Ι	I	I	ı	Ι	Ι	I	I	Ι	Ι	I	I	I
Monitors < 17in	Μ	Μ	D	D	D	D	D	D	0	0	0	0	0	0	0	0
Monitors >17in	ı	ı	ı	-	I	I	ı	I								
Desktop printers	Ι	I	I	Ι	I	I	I	Ι	Ι	I	I	Ι	Ι	I	I	I
CD R/W	Ι	ı	ı	_	1	1	1	Ι	1	ı	ı	Ι	_	-	ı	Ι
Scanners	I	ı	I	_	I	I	ı	I	ı	ı	ı	ı	ı	I	ı	Ι
Plotters	I	ı	I	Ι	I	I	ı	Ι	I	ı	ı	ı	I	I	ı	Ι
Cameras	I	ı	I	_	I	I	ı	I	ı	ı	ı	ı	I	I	ı	Ι
Projectors	I	I	I	Ι		I	ı	Ι	Ι	ı	I	I	-	Ι	I	Ι

Desktop Software

Definition:

The applications required by all users and developers to run a desktop. This does not include any applications specific to an application or unit within the organization.

Standards:

		20	01			20	02			20	03	}		20	04	
	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
MS Windows Compatible	1	I	I	Ι	I	Ι	I	I	1	ı	Ι	I	I	Τ	I	I

Other Standards in Use:

Standard	Usage Scope
MS Office Suite	Universal
Attachmate EP Client	Universal
MS Visual Studio	Application Developers

Products:

		2001			2002					20	03	}				
	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
MS Office Suite	Ι	Τ	Τ	Τ	-	Τ	Ι	Ι	Ι	Ι	Ι	Ι	Ι	Ι	ı	Ι
MS Visual Studio	I	Ι	Ι	Τ	I	Τ	I	Ι	I	Ι	I	I	I	Ι	I	I
MS FrontPage	Ι	Τ	Τ	Τ	-	Τ	Ι	Ι	Ι	Ι	Ι	Ι	Ι	Ι	ı	Ι
Attachmate EP Client	I	Ι	Ι	I	I	I	ı	ı	I	I	I	I	I	I	I	Ι
MS Internet Explorer	Ι	Τ	Τ	Τ	-	Τ	Ι	Ι	Ι	Ι	Ι	Ι	Ι	Ι	ı	Ι
MS Outlook	Ι	Ι	_	Π	1	Π	-	Ι	-	Ι	-	ı	Ι	Ι	ı	1
CA-Opal Client	Ι	Ι	_	Ι	-	Ι	_	-	Ι	Ι	_	I	Ι	Ι	-	Ι
Adobe Acrobat Reader	Ι	Ι	_	Π	1	Π	-	Ι	-	Ι	-	ı	Ι	Ι	ı	1
OMNI Forms Filler	I	Ι	Ι	Τ	I	Τ	I	Ι	I	Ι	I	I	I	Ι	I	I
JAVA	Р	Р	Р													

Other Installed Products:

Product Name	Usage Scope
Novell Client (being phased out)	300 Users
Eastman Workstation	Imaging Users
Eastman Workflow	Developers
Document Director	130 Users
CA-Opal Developer	16 Users
SAS	SSS/Actuary (approx. 50 users)
COREL Office Suite	Approx. 30 users
Fireworks	Intranet/Internet Developers
Authorware	Office of Programs

Server Hardware

Definition:

Physical components and peripheral devices designed to process transactions in a multi-processing environment in both batch and on-line modes handling many enterprise-wide users.

Standards:

		20	01		2002				2003				2004			
	Q1	Q1 Q2 Q3 Q4				Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
1386	I	Ι	I	Ι	I	Ι	I	I	I	Π	I	Ι	I	I	Π	Ι
RAID 5	Ι	_	-	Ι	Ι	Ι	ı	Ι	Ι	Ι	-	_	Ι	1	Ι	Ι
MAPI	I	Ι	I	Ι	Ι	Ι	I	I	I	Π	I	Ι	I	I	Π	Ι
SCSI	Ι	Τ	Ι	Ι	Ι	Ι	I	Ι	Ι	Τ	Ι	Τ	Ι	I	Τ	Ι

Other Standards in Use:

Standard	Usage Scope
HP Printer	Universal
DT IV	Server Backups

		20	01			20	02			20	03	,		20	04	
	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Intel CPU MHz	М	М	М	М	М	М	Μ	М	О	D	Δ	D	0			
Intel CPU GHz	ID	ID	I	Ι	ı	I	I	1	-	ı	I	I	I	I	Ι	1
NIC 100 base T (copper)	Ι	Ι	Τ	Ι	Ι	Τ	I	Ι	-	ı	ı	Ι	Ι	Ι	Ι	Ι
NIC 1000 base T (fiber)	ID	ID	_	I	_		_	Ι	-	ı	_	ı	-	Ι		
RAM MB	М	М	М	М	Μ	М	Μ	М	О	Δ	Δ	D	0			
RAM GB	ID	ID	Ι	Ι	ı	I	-	_	_	I	-	ı	I	I	Ι	1
CD Reader	Ι	Ι	Ι	Ι	Ι	Τ	ı	Ι	Ι	ı	I	Ι	I	Ι	Ι	Ι
Diskette drive 1.44MB	Ι	Ι	Τ	Ι	Ι	Τ	I	Ι	Ι	ı	I	Ι	Ι	Ι	Ι	Ι
Quantum Tape 80GB	Ι	Ι	Ι	Ι	D	D										
Optical WORM	I	1	Ι	I	_	Ι	-	Ι	ı	ı	_	ı	ı	Ι	-	_
High-Speed Work Group Printer	1	-	_		_	_	_	1	-	_	_		-	-	-	_
Storage >= 32 GB	Ι	Ι	Ι	Ι	Ι	Ι	1	Ι	-	ı	_		Ι	Ι	Ι	Ι
Monitors <=17 in	D	Д	D	D												
Monitors >= 21 in	1	1	Ι	I	-	ı	_	1	I	ı	-	ı	I	Ι	-	Ι

Server Software

Definition: Software that runs on server technology

Standards:

		20	01		2002					20	03		2004			
	Q ²	1 Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
None																

Other Standards in Use:

Standard	Usage Scope
Microsoft (MS) Back Office	Universal

Products:

		20	01			20	02			20	03	,				
	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
MS Exchange 5.x	М	М	М	D	0											
MS Exchange 2000	ID	ID	ID	1	I	1	ı	1								
MS SQL 7.x	М	М	М	D	0											
MS SQL 2000	ID	ID	ID	_	-	_	I	_								
CA-ARCSERVIT Enterprise	М	М	М	М	О	D	D	D	0							
IBM TSM/DRM Client 4.x	I	I	Ι	I	_	ı	ı	I	I	I	ı	ı	_	_	_	I
Attachmate Extra! SNA Server	D	D	D	D	Δ	D	D	D	0							
CA-Quota	М	М	М	М	Δ	О	О	О	0							
CA-Opal Server	I	1	Ι	-	-	I	ı	Ι	I	I	ı	1	_	_	-	I
CA-IDMS Server	ID	М	М	М												
CA-CCI	ID	М	М	Μ												
Eastman Imaging v 4.x		Ι	Ι	1	-	_	ı	Ι	1	1	ı		-	-	-	Ι
Evergreen Magic TSHD	Ι	Ι	_	_	-	_	ı	-	-	-	ı	-	-	-	-	I
MS System Management Server	М	М	М	М	М	M	Μ	M	М	М	M	М	М	М	М	М
Visual Networks Uptime v6.x	Ι	ı	Ι	ı	ı	1	1	1	1	ı	1	1	ı	ı	ı	I
FAX Server	ı	I	Ι	ı	I	Ι	ı	Ι	Ι	ı	ı	Ι	Ι	I	I	I
HPJet Admin	I	I	Ι	I	I	I	ı	I	I	I	I	I	Ι	ı	I	I
Symantec Anti Virus v7.x	Ī	Ī	Ī	Ī	Ī	Ī	Ī	Ī	Ī	Ī	Ī	Ī	Ī	Ī	Ī	ı

Other Installed Products:

Product Name	Usage Scope
dBase 4	Office of Programs
MS Office 95/97	Limited (<5%)
Corel Office	Limited (<5%)
Micrografx v7	Office of Programs (limited licenses)
Visio	BIS (limited licenses)

Pattern 1

Move from multiple storage architectures toward a single repository of mainframe/LAN storage

Purpose


Share data
Reduce cost
Improve data integrity
Improve backup and recovery capabilities
Reduce data redundancy

Applicability

Pattern can be applied throughout the agency where data needs to be stored When acquiring new storage technologies


Structure Overview

Before Enterprise Storage Server (ESS) (routers, hubs, the multiple LAN/WANs and PCs, etc are not shown for simplicity):



Pattern 1 continued:

After Enterprise Storage Server (ESS) (routers, hubs, the multiple LAN/WANs and PCs, etc are not shown for simplicity):



ESS Enterprise Storage Server
TSM Tivoli Storage Manager
S/390 System 390 (Mainframe)
VTS Virtual Tape Server
VLAN Virtual LAN

Pattern 1 continued:

Assumptions

Funding is available Reduce integration complexity Functionality can be furnished by technology available in the marketplace Availability of training

Benefits

Share data

Easier access

Multiple platform availability

Reduce data redundancy

Reduce cost of operation and ownership

Fewer devices required Fewer software licenses

Smaller footprint

Improve backup and recovery capabilities

Improved customer service

Improved security

Consequences

Increased cost for storage technologies Increased impact of device outages

Related Patterns

Pattern 2

Known Uses

Mainframe and LAN utilize RAID 5 storage architecture LAN backups being routed to mainframe

Pattern 2

Combine separate and disparate systems and services into a unified enterprise-wide infrastructure

Purpose

Move from multiple protocols toward a single protocol to more efficiently use bandwidth

Move from multiple, incompatible printing sources to enterprise print services allowing printing from any application to any location

Move from distributed control systems toward a centralized control system allowing for improved administration including load balancing, resource management, data sharing in memory, and inter-region communication

Pattern 2 continued:

Applicability

Pattern can be applied throughout the agency and to business partners and customers

Assumptions

Functionality can be furnished by technology available in the marketplace Availability of training Additional staffing required Availability of funding

Benefits

Improved response time
Reduction in support costs
Reduction in machine cycles and power consumption
Increase in throughput
Reduction in staff administration time
Availability of mobile printing
Enhances the "one-and-done" concept

Consequences

Migration efforts required Increased impact of service outages

Related Patterns

Pattern 1 Pattern 3

Known Uses

Implemented TCP/IP
FTP
Mainframe printing from remote locations
Terminal sessions
Consolidated server-associated storage

Pattern 3

Transition toward increased remote and mobile access to resources

Purpose

Support the agency's work-at-home initiative to comply with OMB regulations Provide remote access for field itinerant service Improve data collection and processing Improve customer service

Applicability

All employees in work-at-home environment Field service employees Business partners and customers Employees in travel status

Assumptions

Increased bandwidth required Availability of appropriate support Necessary funding available

Field service employees and employees in travel status will have appropriate configurations provided

Work-at-home employees, business partners, and customers will need to furnish their own equipment

Benefits

Lower environmental costs

Better service provided to customers by field service employees and hearings and appeals officials

Improved disaster recovery capabilities in field offices

Ability to maintain customer service during field office moves

Consequences

Increase in support costs Security implications Additional training Additional funding

Related Patterns

Pattern 2

Known Uses

Accommodated employees
Provided laptops to field service

Domain Participants

Domain Team Leader: Anthony Caruso

Line of Business Representatives: Ronald Russo, Reginald Wiedman

Domain Participants: Richard Bertone, Cilla Esiri-Olowopopo, James Fijolek, Robert Miller,

Joseph Onchak, Gerry Spencer

EA Representative: Deborah Carter

Appendix 1: Domain Glossary

Term	Definition
Control System	Collection of utilities used to manage system functions
Enterprise	Agency-wide
Footprint	Area occupied by a hardware component
FTP	File Transfer Protocol
Hand-off	Passing a transaction from one process, or person, to another
Moore's Law	The term was coined after a co-founder of Intel. It states that the number of transistors (or the amount of memory) that can be placed on a chip doubles every 18 months. It was a prediction more than a "law" in the sense that a scientist would use it; the usage is tongue-in-cheek in the vein of Murphy's Law. Semiconductor manufacturers actually take this prediction quite seriously and use it for forecasting the type of technology that will be available. Most industry analysts, and Moore himself, expect his prediction to hold true for at least another two decades.
"One-and-done"	Concept of handling a customer's transaction in one contact
Reusable Assets	Concept of purchasing and using assets for multiple purposes based on the product's lifecycle and its suitability to the enterprise needs rather than acquiring and disposing of an asset based on a "single use" requirement.

Appendix 2: Conceptual to Domain Principle Matrix

								Rela							Dom ure 1				S						
Domain Principle															e Pri			<u> </u>							
	C A 1	C A 2	C A 3	C A 4	C A 5	C A 6	C A 7	C A 8	C A 9	C A 1 0	C A 1	C A 1 2	C A 1 3	C A 1 4	C A 1 5	C A 1 6	C A 1 7	C A 1 8	C A 1 9	C A 2 0	C A 2 1	C A 2 2	C A 2 3	C A 2 4	C A 2 5
D-1	X				X	X										X	X			X	X	X	X		
D-2					X											X					X				
D-3														X				X							
D-4														X											
D-5	X													X											
D-6																						X			X
D-7																						X			
D-8	X	X	X											X											
D-9					X	X							X			X	X								
D-10				X		X									X										
D-11					X	X										X	X	X							X

Conceptual Architecture Guiding Principles:

1. Use guidelines consistent with the Federal Enterprise Architecture. 2. Support a single Enterprise Wide Technical Architecture (EWTA).

3. IT projects are to be consistent with the Enterprise Architecture. 4. Business processes drive technical architectures. 5. Reduce integration complexity. 6. Technical architecture must be extensible and scalable. 7. Manage information and data as enterprise-wide assets. 8. Validate information as close to its source as possible. 9. Enhance the ability to capitalize on and exploit business information. 10. Support multiple data types. 11. Make an informed buy versus lease versus build decision before proceeding with any new development project. 12. Require shorter development cycle times. 13. Keep current with emerging technologies and their applicability to enterprise architecture. 14. Maximize infrastructure asset reuse. 15. Sustain reliable connectivity. 16. IT systems will be implemented in adherence with the agency's security, confidentiality and privacy policies. 17. The agency will use a consistent set of security interfaces and procedures. 18. Reduce total cost of operation (TCO). 19. Extend E-Mail to Become a Corporate Information Exchange Vehicle. 20. Adopt Open Systems Standards. 21. Reduce duplicate information systems. 22. Consider impact on business partners. 23. Maximize and exploit Internet and Intranet technologies and approaches. 24. Integrate Enterprise Architecture into the investment management process. 25. Customer perception is a measure of the quality of the automation processes.